| Notice of Allowability | Application No. | Applicant(s) |
|--|---|---------------------------------|
| | 09/892,527 | GRASSO, STEPHANIE |
| | Examiner | Art Unit |
| | Marie Patterson | 3728 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>Board Decision and remand of 4/26/05</u> . | | |
| 2. ☑ The allowed claim(s) is/are <u>1-11 and 13-19</u> . | | |
| 3. ☑ The drawings filed on 28 June 2001 are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☐ Examiner's Amendn | e |
| | | M.D. Patterson Primary Examiner |

1. The following is an examiner's statement of reasons for allowance:

In response to the reversal and remand by the Board of Appeals, the following reasons for allowance is deemed neccessary.

The Board suggested a rejection based on the Smith reference, however the Board failed to properly consider the limitation of "a single elastically deformable band". The Examiner assumes that the Board was suggesting that the sidewalls 14 of Smith are equivalent to the band claimed, however Smith clearly states that the sidewalls are made from stiff synthetic rubber (see column 2 lines 30-35) and this material clearly is not considered to be elastically deformable especially when read in view of applicants specification and the neccessary function performed by applicants' band. Also, the Board stated that "Smith does not specifically mention the claimed athletic foot covering, such covering appears to be part of a conventional sneaker generally included in Smith". Since the Board stated in the reversal of the Examiners prior rejections that combining conventional shoes with overshoes that the rejection does not provide the claimed limitions of "the sole surface configured in the same perimeter shape and size of the permanent treaded bottom of the athletic foot cover" (see Board Decision page 8, lines 5-14), the Examiner does not find any motivitation to do the same modification to the Smith reference.

In response to the Boards suggestion of a rejection based on Adair, it is respectfully noted that such a rejection was made in a prior rejection and applicants' amendments and arguments as to how Adair does not read on the claims is clearly stated in applications response filed 8/26/02.

Application/Control Number: 09/892,527 Page 3

Art Unit: 3728

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

1. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Other useful information can be obtained at the PTO Home Page at www.uspto.gov.

In order to avoid potential delays, Technology Center 3700 is encouraging FAXing of responses to Office Actions directly into the Center at <u>(703) 872-9306</u> (FORMAL FAXES ONLY). Please identify Examiner <u>Marie Patterson</u> of Art Unit <u>3728</u> at the top of your cover sheet.

Any inquiry concerning the MERITS of this examination from the examiner should be directed to Marie Patterson whose telephone number is (571) 272-4559. The examiner can normally be reached from 6AM - 4PM Mon-Wed.

Marie Patterson Primary Examiner Art Unit 3728